Fiscal Year:	FY 2015	Task Last Updated:	FY 01/21/2015	
PI Name:	Simon, Julianna Ph.D.	Task Last Opuated.	1101/21/2015	
Project Title:	Improving Kidney Stone Detection in	Snace Analogs		
roject mit.	Improving Kidney Stone Detection in Space Analogs			
Division Name:	Human Research			
Program/Discipline:	NSBRI			
Program/Discipline Element/Subdiscipline:	NSBRISmart Medical Systems and Technology Team			
Joint Agency Name:		TechPort:	Yes	
Human Research Program Elements:	(1) ExMC:Exploration Medical Capab	bilities		
Human Research Program Risks:	None			
Space Biology Element:	None			
Space Biology Cross-Element Discipline:	None			
Space Biology Special Category:	None			
PI Email:	jcsimon@uw.edu; jcsimon@psu.edu	Fax:	FY	
PI Organization Type:	UNIVERSITY	Phone:	206-221-6584	
Organization Name:	University of Washington			
PI Address 1:	Applied Physics Laboratory/Center for Industrial and Medical Ultrasound (APL/CIMU)			
PI Address 2:	1013 NE 40th St.			
PI Web Page:				
City:	Seattle	State:	WA	
Zip Code:	98105	Congressional District:	7	
Comments:				
Project Type:	Ground	Solicitation / Funding Source:	2013 NSBRI-RFA-13-01 Postdoctoral Fellowships	
Start Date:	01/01/2014	End Date:	12/31/2016	
No. of Post Docs:	1	No. of PhD Degrees:	0	
No. of PhD Candidates:	0	No. of Master' Degrees:	0	
No. of Master's Candidates:	0	No. of Bachelor's Degrees:	0	
No. of Bachelor's Candidates:	0	Monitoring Center:	NSBRI	
Contact Monitor:		Contact Phone:		
Contact Email:				
Flight Program:				
Flight Assignment:	NOTE: End date changed to 12/31/2016 per NSBRI (Ed., 10/19/15)			
Key Personnel Changes/Previous PI:				
COI Name (Institution):	Bailey, Michael Ph.D. (MENTOR/University of Washington)			
Grant/Contract No.:	NCC 9-58-PF03505			
Performance Goal No.:				
Performance Goal Text:				
	POSTDOCTORAL FELLOWSHIP 1. Specific Aims/Objectives			
	The twinkling artifact (TA), a rapid color-shift that selectively highlights hard objects in color-Doppler ultrasound images, has the potential to improve kidney stone detection; however, its inconsistent appearance has limited its use. Recently, it was hypothesized that crevice bubbles on the surface of stones cause twinkling, and bubbles are going to be very sensitive to the changes in gravity and pressure that occur during space travel. Our objective is to develop an ultrasound imaging protocol to enhance kidney stone detection in space, addressing ExMC Gap 4.13.			
	AIM 1: Develop ultrasound imaging p	rotocols to enhance kidney stone d	etection in space.	

	AIM 2: Manipulate existing elastic wave and bubble dynamic models to aid in refining kidney stone detection protocols.
	AIM 3: Determine how hypobaric and hyperbaric conditions alter the TA.
	AIM 4: Determine how urine pH and stone type affect the TA.
	AIM 5: Determine how exposure to gas concentrations unique to the space travel vehicles alters the TA.
	2. Key Findings
	In ex vivo kidney stones of all major stone types, we found that increasing the acoustic energy delivered to the stone enhances the TA. Hypobaric conditions were found to enhance the TA and hyperbaric conditions were found to diminish the TA. High-magnification, high-speed imaging has found a crevice bubble on the stone surface that oscillated when exposed to ultrasound. The linear elastic stone model has been successfully coupled with a bubble dynamics model. A new hypothesis to describe the origin of the bubbles in twinkling - namely bacteria – was generated.
Task Description:	Published 4 papers in scientific journals, including, "Focused ultrasound to displace renal calculi: threshold for tissue injury," "Preclinical safety and effectiveness studies of ultrasonic propulsion of kidney stones," "Ultrasound-guided tissue fractionation by high intensity focused ultrasound in an in vivo porcine liver model," and "Pulsed focused ultrasound treatment of muscle mitigates paralysis-induced bone loss in the adjacent bone: A study in a mouse model."
	Submitted 2 papers that are in review to J. Fluid Mech. and Ultrasound Med. Biol. Presented at 4 scientific conferences. Represented the National Space Biomedical Research Institute (NSBRI) at the 2014 congressional demonstration. Mentored a summer high-school student who finished with a demo at the Pacific Science Center.
	3. Impact
	We have discovered methods to enhance the TA that can be programmed into NASA's flexible ultrasound system; some of these enhancements can also be implemented on commercial ultrasound machines. All of our experimental results support the original hypothesis that crevice bubbles on the kidney stone surface cause twinkling and, for the first time, we have observed a bubble on the stone surface. We have also hypothesized that bacteria cause these bubbles to form, which enhances our understanding of the etiology of the TA and stone disease. Furthermore, we have shown that stone composition and environment influence twinkling, which could be used to enhance stone detection or potentially be used to predict stone composition.
	4. Proposed Research
	We will test the influence of breathing increased carbon dioxide levels on twinkling in a pig model. We will utilize modeling to determine what parameters most strongly influence twinkling. We plan to image more bubbles on the stone surface with higher magnification, high-speed imaging to look for correlations between the twinkling amplitude and number of bubbles. We will leverage the ex vivo hyperbaric experimental results in an IRB to test whether bubbles are present on in situ kidney stones by recruiting human subjects for tests in a hyperbaric chamber. We will grow calcium oxalate crystals in the lab to determine whether pure crystals twinkle. We plan to determine the bacteria load on fresh stones, comparing stones that twinkle with those that weakly twinkle.
Rationale for HRP Directed Researc	zh:
	The risk of renal stone formation (ExMC 4.13) is considered a shall for all missions beyond the International Space Station. On Earth, currently 1 in 11 Americans have been diagnosed with kidney stones and the prevalence is increasing worldwide. In the US, more than three million diagnoses and treatments are made annually at a cost calculated to be over two billion dollars. Specific in-flight conditions that contribute to an increased risk of renal stone formation include bone demineralization, dehydration, and stasis. US astronauts have reported 14 symptomatic stone events that have occurred pre- or post-flight; one notable in-flight stone instance has been described by the Russian space program, where a crewmate was found writhing in pain. While no US astronaut has experienced an in-flight kidney stone event, the importance of kidney stones in space is expected to rise as missions become longer and immediate transport to Earth
Research Impact/Earth Benefits:	becomes more problematic. Stone size is a significant predictor for the severity of a stone incident, as small stones may pass on their own causing relatively little pain. The Integrated Medical Model team defines two renal stone scenarios: the best case scenario (i.e., where stones pass safely and spontaneously) is predicted to occur 68% of cases where stones are small (< 5 mm diameter). However, as stones increase to 5-10 mm in diameter, stones are predicted to pass safely and spontaneously in less than 50% of cases. These data show the need for a diagnostic tool that allows for routine monitoring of people at risk for developing kidney stones, both on Earth and in space. Currently, kidney stones are detected with x-ray or CT, both of which expose the patients to ionizing radiation. Our technology will make ultrasound a more robust tool to detect small kidney stones, thereby reducing patient exposure to ionizing radiation and reducing the cost associated with kidney stones. This technology would allow emergency rooms to diagnose kidney stones immediately, rather than sending the patient to radiology for a CT. In addition, more than 50% of stone-formers have a repeat stone incident within 5 years. Our technology would allow for more routine monitoring so steps could be taken to avoid emergency surgery. In space, ultrasound is one of the few imaging technologies that can be flown, and our improved kidney stone detection protocols will make ultrasound a robust tool for early stone detection, which is critical for minimizing mission disruption and reducing the risk of an unpredictable and life-threatening renal stone incident.
Research Impact/Earth Benefits:	pass on their own causing relatively little pain. The Integrated Medical Model team defines two renal stone scenarios: the best case scenario (i.e., where stones pass safely and spontaneously) is predicted to occur 68% of cases where stones are small (< 5 mm diameter). However, as stones increase to 5-10 mm in diameter, stones are predicted to pass safely and spontaneously in less than 50% of cases. These data show the need for a diagnostic tool that allows for routine monitoring of people at risk for developing kidne stones, both on Earth and in space. Currently, kidney stones are detected with x-ray or CT, both of which expose the patients to ionizing radiation. Our technology will make ultrasound a more robust tool to detect small kidney stones, thereby reducing patient exposure to ionizing radiation and reducing the cost associated with kidney stones. This technology would allow emergency rooms to diagnose kidney stones immediately, rather than sending the patient to radiology for a CT. In addition, more than 50% of stone-formers have a repeat stone incident within 5 years. Our technology would allow for more routine monitoring so steps could be taken to avoid emergency surgery. In space, ultrasound is one of the few imaging technologies that can be flown, and our improved kidney stone detection protocol will make ultrasound a robust tool for early stone detection, which is critical for minimizing mission disruption and

Task Progress:	 AIM 3: Determine how hypobaric and hyperbaric conditions alter the twinkling artifact (TA). Task 3.1: To test the effect of increased and decreased ambient pressure on the TA in ex vivo human kidney stones. Increasing the ambient pressure has been found to diminish twinkling, with the exact pressure threshold to eliminate twinkling ranging from 3 atm (absolute) to greater than 8 atm, depending on the exact location and stability of twinkling on the individual stone, the gas content of the liquid and stone, and the amplitude and number of cycles in the Doppler pulse. On the other hand, hypobaric conditions have been found to enhance twinkling, which could be utilized in the first aim to enhance kidney stone detection in space. Task 3.2: To test the effect of increased ambient pressure on the TA in humans. We have reopened discussions with the Virginia Mason Hyperbaric Center and have successfully shown that twinkling can disappear in their chamber at
	physiologically safe pressure levels. We are pursuing an IRB to be able to complete this task. AIM 4: Determine how urine pH and stone type affect the TA. Preliminary results in solutions with acidic pH suggest that urine pH affects twinkling. Preliminary results monitoring twinkling in all major stone types indicate that twinkling
	occurs, though the strength and stability of twinkling is lower for some stone types, such as uric acid. AIM 5: Determine how exposure to gas concentrations unique to the space travel vehicles alters the TA. The concentration of gases in the solution surrounding the kidney stone influences the twinkling artifact. Preliminary results monitoring twinkling in solutions with increased carbon dioxide concentrations suggest that gas composition also affects the TA.
Bibliography Type:	Description: (Last Updated: 09/07/2020)
Abstracts for Journals and Proceedings	 Dunmire BL, Harper JD, Sorensen MD, Wessells HB, Lingeman JE, Coburn M, Cunitz BW, Wang Y-N, Simon JC, Maxwell AD, Kreider W, Paun M, Crum LA, Khokhlova VA, Sapozhnikov OA, Bailey MR. "Prevention of Renal Stone Complications in Space Exploration." 2014 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 12-13, 2014. 2014 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 12-13, 2014. Abstract 3129. http://www.hou.usra.edu/meetings/hrp2014/pdf/3129.pdf, Feb-2014
Abstracts for Journals and Proceedings	Khokhlova VA, Canney M, Sapozhnikov OA, Simon JC, Kreider W, Khokhlova TD, Li T, Hwang J-H, O'Donnell M, Maxwell AD, Bailey MR, Crum LA. "Monitoring boiling histotripsy with bubble-based ultrasound techniques." 168th Meeting of the Acoustical Society of America, Indianapolis, Indiana, October 27-31, 2014. Journal of the Acoustical Society of America. 2014 Oct;136(4):2301. <u>http://dx.doi.org/10.1121/1.4900325</u> , Oct-2014
Abstracts for Journals and Proceedings	Lee F C-H, Wang Y-N, Dunmire B, Simon JC, Liggitt HD, Paun M, Cunitz BW, Starr F, Bailey MR, Penniston K, Hsi RS, Sorensen MD, Harper JD. "Preclinical safety and effectiveness studies of ultrasonic propulsion of kidney stones." 14th International Symposium on Therapeutic Ultrasound, Las Vegas, NV, April 2-5, 2014. 14th International Symposium on Therapeutic Ultrasound, Las Vegas, NV, April 2-5, 2014. Abstract Book, April 2014: 283., Apr-2014
Abstracts for Journals and Proceedings	Maxwell A, Khokhlova T, Schade G, Wang Y-N, Kreider W, Yuldashev P, Simon J, Sapozhnikov O, Farr N, Partanen A, Bailey M, Crum L, Khokhlova V. "Boiling histotripsy: A noninvasive method for mechanical tissue disintegration." 168th Meeting of the Acoustical Society of America, Indianapolis, Indiana, October 27-31, 2014. Journal of the Acoustical Society of America. 2014 Oct;136(4):2249. <u>http://dx.doi.org/10.1121/1.4900116</u> , Oct-2014
Abstracts for Journals and Proceedings	Simon JC, Sapozhnikov OA, Khokhlova VA, Wang Y-N, Crum LA, Bailey MR. "The role of cavitation in the ultrasonic atomization of liquids and tissues." 2014 IEEE International Ultrasonics Symposium, Chicago, IL, September 3-6, 2014. 2014 IEEE International Ultrasonics Symposium, Chicago, IL, September 3-6, 2014. Abstract Book, p. 626. http://ewh.ieee.org/conf/ius_2014/press/IUS%202014%20Abstract%20Book.pdf ; accessed 1/22/2015. , Sep-2014
Abstracts for Journals and Proceedings	 Simon JC, Sapozhnikov OA, Khokhlova VA, Wang Y-N, Crum LA, Bailey MR. "Ultrasonic Atomization of Tissue: A Mechanism for Ultrasound-Based Surgery." 2014 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 12-13, 2014. 2014 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 12-13, 2014. Abstract 3184. http://www.hou.usra.edu/meetings/hrp2014/pdf/3184.pdf, Feb-2014
Abstracts for Journals and Proceedings	Simon JC, Sapozhnikov OA, Khokhlova VA, Wang Y-N, Crum LA, Bailey MR. "Ultrasonic atomization: A mechanism of tissue fractionation in boiling histotripsy." 14th International Symposium on Therapeutic Ultrasound, Las Vegas, NV, April 2-5, 2014. 14th International Symposium on Therapeutic Ultrasound, Las Vegas, NV, April 2-5, 2014. Abstract Book, April 2014: 252. , Apr-2014
Abstracts for Journals and Proceedings	Simon JC, Sapozhnikov OA, Khokhlova VA, Wang Y-N, Kreider W, Crum LA, Bailey MR. "The role of bubbles in the atomization of liquids and tissues." 167th Meeting of the Acoustical Society of America, Providence, Rhode Island, May 5-9, 2014. Journal of the Acoustical Society of America. 2014 Apr;135(4):2344-5. <u>http://dx.doi.org/10.1121/1.4877703</u> , Apr-2014
Articles in Peer-reviewed Journals	Harper JD, Dunmire B, Wang YN, Simon JC, Liggitt D, Paun M, Cunitz BW, Starr F, Bailey MR, Penniston KL, Lee FC, Hsi RS, Sorensen MD. "Preclinical safety and effectiveness studies of ultrasonic propulsion of kidney stones." Urology. 2014 Aug;84(2):484-9. <u>http://dx.doi.org/10.1016/j.urology.2014.04.041</u> ; PubMed PMID: 24975708, Aug-2014
Articles in Peer-reviewed Journals	Khokhlova TD, Wang YN, Simon JC, Cunitz BW, Starr F, Paun M, Crum LA, Bailey MR, Khokhlova VA. "Ultrasound-guided tissue fractionation by high intensity focused ultrasound in an in vivo porcine liver model." Proc Natl Acad Sci U S A. 2014 Jun 3;111(22):8161-6. <u>http://dx.doi.org/10.1073/pnas.1318355111</u> ; PubMed <u>PMID: 24843132</u> ; PubMed Central <u>PMCID: PMC4050569</u> , Jun-2014

Articles in Peer-reviewed Journals	Poliachik SL, Khokhlova TD, Wang Y-N, Simon JC, Bailey MR. "Pulsed focused ultrasound treatment of muscle mitigates paralysis-induced bone loss in the adjacent bone: A study in a mouse model." Ultrasound Med Biol. 2014 Sep;40(9):2113-24. Epub 2014 May 21. <u>http://dx.doi.org/10.1016/j.ultrasmedbio.2014.02.027</u> ; PubMed <u>PMID: 24857416</u> , Sep-2014
Articles in Peer-reviewed Journals	Wang Y-N, Simon JC, Cunitz BW, Starr F, Paun M, Liggitt DH, Evan AP, McAteer JA, Liu Z, Dunmire B, Bailey MR. "Focused ultrasound to displace renal calculi: threshold for tissue injury." Journal of Therapeutic Ultrasound. 2014 Mar 31;2:5. eCollection 2014. <u>http://dx.doi.org/10.1186/2050-5736-2-5</u> ; PubMed <u>PMID: 24921046</u> ; PubMed Central <u>PMCID: PMC4036593</u> , Mar-2014
Awards	Simon J. "Bioengineering Nominee for University of Washington's 2013-2014 Distinguished Dissertation Award, June 2014." Jun-2014
Significant Media Coverage	Focused Ultrasound Foundation. "Washington-Russian Collaboration Sends Shock Waves Through Focused Ultrasound." Focused Ultrasound Foundation News, April 17, 2014. http://www.fusfoundation.org/news/1342-washington-russian-collaboration-sends-shock-waves-through-focused-ultrasounce; accessed 1/26/2015., Apr-2014