Etaal Varm	EV 2015	TT. 1 T . XT	EV 04/20/2015
Fiscal Year:	FY 2015	Task Last Updated:	FY 04/29/2015
PI Name:	Winther, Sean B.S.		
Project Title:	Biosensors for Exploration Medical System		
Division Name:	Human Research		
Program/Discipline:			
Program/Discipline Element/Subdiscipline:			
Joint Agency Name:		TechPort:	Yes
Human Research Program Elements:	(1) ExMC :Exploration Medical Capabilities		
Human Research Program Risks:	(1) Medical Conditions: Risk of Adverse Health O that occur in Mission, as well as Long Term Health		ce Due to Medical Conditions
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	Sean.W.Winther@nasa.gov	Fax:	FY
PI Organization Type:	NASA CENTER	Phone:	650-604-6091
Organization Name:	CSS-Dynamac/NASA Ames Research Center		
PI Address 1:	Code: SCF (Flight Systems Implementation)		
PI Address 2:	Biomedical Engineer		
PI Web Page:			
City:	Moffett Field	State:	CA
Zip Code:	94035	Congressional District:	18
Comments:			
Project Type:	Flight,Ground	Solicitation / Funding Source:	Directed Research
Start Date:	07/01/2011	End Date:	06/30/2016
No. of Post Docs:	0	No. of PhD Degrees:	0
No. of PhD Candidates:	0	No. of Master' Degrees:	0
No. of Master's Candidates:	0	No. of Bachelor's Degrees:	0
No. of Bachelor's Candidates:	0	Monitoring Center:	NASA JSC
Contact Monitor:	Antonsen, Erik	Contact Phone:	281.483.4961
Contact Email:	erik.l.antonsen@nasa.gov		
Flight Program:	ISS		
Flight Assignment:	NOTE: Project completed and transferred to Medic 9/30/2018) (Ed., 4/4/18)	al Operations; closeout as of 6/30/2010	6 (original end date was
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Toscano, William (NASA Ames Research Center	r)	
Grant/Contract No.:	Directed Research		
Performance Goal No.:			
Performance Goal Text:			

The current International Space Station (ISS) electrocardiogram (ECG) system for donning the biomedical time consuming and inconvenient, requiring shaving, application of electrodes, and signal checks. A more system will save crew time and reduce the overhead of stowing additional supplies. Additionally, the curre hardware requires dedicated ISS power and significant volume, but advances in microelectronics has signi reduced the volume and power required for ECG applications. The Biosensors-EMSD (Exploration Medic Demonstration) will demonstrate the integration of small, battery powered, easy to use biomedical sensors acquisition devices that will have the ability to measure, store, and transmit physiologic parameters during and ambulatory scenarios. Specific Aims: 1. Demonstrate that commercial off the shelf (COTS) and emerging technologies satisfy exploration physio	efficient ECG ent ECG ficantly al System and data operational		
1. Demonstrate that commercial off the shelf (COTS) and emerging technologies satisfy exploration physic	-		
monitoring requirements and operational requirements	s		
2. Reduce the time required of an on-orbit crew and ground personnel to store, access, transfer, and proces physiological data Task Description:	2. Reduce the time required of an on-orbit crew and ground personnel to store, access, transfer, and process physiological data		
3. Provide a mechanism for interfacing biomedical sensor technology with a common data management fra architecture to enable the EMSD objectives.	amework and		
The functionality of the ECG system will be verified through a ground demonstration and an ISS flight der both as part of the Exploration Medical System Demonstration. The project will begin with a market surve COTS ECG systems that meet physiological monitoring requirements followed by a direct COTS procurer system will then be tested and verified for proper capabilities by CMO analogs. Ground testing will require to don the ECG system and execute a series of predetermined tasks while a variety of ECG data and video ECG data and video will be examined to ensure data quality, appropriate data routing, and to demonstrate efficiency. Flight testing will be similar to ground testing, but may not be as comprehensive given in-flight limitations. The availability of more varied medical condition simulations, more extensive supply of powe and space limitations, and enhanced system characterization capabilities will allow the ground demonstration the on-orbit objectives by assessing system effectiveness and performance.	y of available ment. The ECG e CMO analogs is collected. system t resource r, fewer time		
Research Impact/Earth Benefits: Our purpose is to better equip crew member medical monitoring for future exploration missions.	Our purpose is to better equip crew member medical monitoring for future exploration missions.		
Biosensors for Exploration Medical System Demonstration Electrocardiograph (EMSD ECG) Performance Goal:			
interoperable with an integrated data management system, and requires minimal consumables. This system achieved through the integration of small, easy to use biomedical sensors that will have the ability to meas			
Task Description:			
To address limitations of the current ECG system on the International Space Station (ISS) and specifically Research Program (HRP) Exploration Medical Capability (ExMC) Risk #95 "risk of unacceptable health a outcomes due to limitations of in-flight medical capabilities" the EMSD ECG project team at Ames Resea (ARC) has developed a 12 lead ECG dry electrode harness system that meets requirements for both 12-lea and reduced lead personal fitness evaluations. A flight technology demonstration is planned in fiscal year (evaluate the EMSD ECG system with ISS crew and obtain high fidelity data that will support decisions for the system to operational use. Additionally, evaluation on board the ISS is necessary to demonstrate operat feasibility including wireless operations in the ISS environment, and the crew's ability to successfully don harness assembly and operate the ECG device with only procedural guidance. This evaluation is required t system in a relevant environment and to elevate the system to a technology readiness level (TRL) 7. The F demonstration contributes to closing ExMC Gap 4.19: We do not have the capability to monitor physiolog in a minimally invasive manner during exploration missions.	nd mission rch Center d diagnostic (FY)16 to r transitioning tional the ECG to validate the light		
Task Progress:			
Task Progress: ECG Harness Development: The Exploration Medical Capabilities (ExMC) Element at Ames Research Ce into a contract with NimbleHeart on October 2014 to design and develop a prototype 12-lead dry electrode the Exploration Medical System Demonstration (EMSD) Electrocardiogram (ECG) system. The goals of th were to deliver a harness designed for both ambulatory and diagnostic use scenarios, while also being com dry electrodes and the IMED Cardiax ECG device. The research and development phase was completed on 2014 when the vendor finalized their physical design and materials selection. The initial prototype was con demonstrated on January 26, 2015. Following the prototype demonstration, additional evaluations were pe Biosensors Lab at Ames Research Center to address fit and signal quality. The vendor will be providing sr and large harnesses based on gender in an attempt to encompass the size range of the astronaut corps. Deli male and female medium harnesses was April 28, 2016, with additional sizes to be delivered at a later date	e harness for he project patible with n December 1, npleted and rformed in the nall, medium, very for both		
Procedure Development and Demonstration: Functional tests procedures were developed for both the ECC dry electrode harness. Procedures were written for each test to fully satisfy qualification and acceptance fo Ground demonstrations procedures were developed and tested as a foundation for flight procedures. Flight will be completed upon final delivery of harnesses from vendor. In preparation of the EMSD Ground demo ARC ExMC team traveled to Johnson Space Center (JSC) in September, 2014 and provided ECG hardwar	r flight. procedures onstration, the		

training and support to the JSC team. An end-to-end validation of the ground demonstration procedures was also provided. Flight Certification: The flight safety data package 0/I/II was completed and submitted for review. An RF (radio frequency) agreement has been approved and is in place for use of on-station wireless frequency. EMI (electromagnetic interference) testing was only required for the ECG device. EMI testing was completed for emission and susceptibility, and the ECG device passed without any concerns. Flight Protocol Approval: Notification of Approval was received from JSC's IRB (Institutional Review Board) on March 10, 2015. Protocol Number: Pro1569; NASA MPA Number: NASA 7116301606HR; FWA Number: 00019876. Upcoming: 5/19-21/15 ARC ExMC site visit to JSC; The ARC ExMC team will conduct a demonstration of the EMSD ECG and 12-Lead dry electrode harness at JSC on May 19, 2015. The team will meet with the Exercise Physiology Lab, medical operational physicians, engineers, and other technical staff representing the Health Maintenance System (HMS) and Countermeasures System (CMS) as part of an assessment of potential use of the system after the ExMC EMSD ECG in-flight demonstration scheduled for FY16. In addition, the EMSD ECG team will participate in flight certification activities including the Payload Safety Review Panel Review also on 5/19 and discussions with representatives from the Human Factors Implementation Team (HFIT) and ISS Payload Label Team (IPLAT) in support of completing ISS flight certification activities. **Bibliography Type:** Description: (Last Updated:)