Fiscal Year:	FY 2015	Task Last Updated:	FY 07/16/2015
PI Name:	Duda, Kevin R Ph.D.		
Project Title:	Metrics and Methods for Real-Time Task Performance Assessment		
N			
Division Name:	Human Research		
Program/Discipline:	NSBRI		
Program/Discipline Element/Subdiscipline:	NSBRIHuman Factors and Performance Team		
Joint Agency Name:	TechPort	:	No
Human Research Program Elements:	(1) SHFH:Space Human Factors & Habitability (archival in 2017)		
Human Research Program Risks:	 (1) BMed:Risk of Adverse Cognitive or Behavioral Conditions and Psychiatric Disorders (2) HSIA:Risk of Adverse Outcomes Due to Inadequate Human Systems Integration Architecture 		
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	kduda@draper.com	Fax:	FY 617-258-2772
PI Organization Type:	NON-PROFIT	Phone:	617-258-4385
Organization Name:	The Charles Stark Draper Laboratory, Inc.		
PI Address 1:	555 Technology Sq		
PI Address 2:	MS 27		
PI Web Page:			
City:	Cambridge	State:	MA
Zip Code:	02139-3539	Congressional District:	7
Comments:			
Project Type:	Ground Solid	citation / Funding Source:	2012 Crew Health NNJ12ZSA002N
Start Date:	07/01/2013	End Date:	09/30/2016
No. of Post Docs:	0	No. of PhD Degrees:	0
No. of PhD Candidates:	0	No. of Master' Degrees:	1
No. of Master's Candidates:	1	No. of Bachelor's Degrees:	0
No. of Bachelor's Candidates:	1	Monitoring Center:	NSBRI
Contact Monitor:		Contact Phone:	
Contact Email:			
Flight Program:			
Flight Assignment:	NOTE: End date changed to 9/30/2016 per NSBRI (Ed., 4/5/16)		
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Robinson, Stephen (University of California, Davis)		
Grant/Contract No.:	NCC 9-58-HFP03401		
Performance Goal No.:			
Performance Goal Text:			
	1. Original Project Aims/Objective: The project objective is to produce a configurable and portable simulation capability for developing and validating real-time metrics for assessing flight performance, workload, and situational awareness. There are three integrated specific aims: (1) Define the system architecture for integrating vehicle and environmental models with the simulation environment. (2) Perform a critical analysis of four piloted tasks: MPCV/Orion docking, MPCV/Orion entry, Lunar Landing, and EVA SAFER self-rescue. Simulator data will be analyzed to identify candidate metrics for performance, workload, and situational awareness as well as operationally relevant options for presenting feedback to the operator. (3) Conduct a series of experiments using the simulated spaceflight tasks and real-time metrics engine to baseline performance, workload, and situational awareness in each task in order to develop algorithms and methods for alerting the operator to deviations from nominal.		

Task Description:	 2. Key Findings: In project year 2, we furthered the development of the simulation capability through integration of a source stress metrics in real-time, without adding additional hardware to the simulator or requiring interrupts to the flight parformance (entropy of the hand controller inputs, not mean square error of the difference between the actual and guidance recommended pitch attitudo), response time to the two-choice secondary task for workload estimation, and an estimate of situation awareness via the accuracy of required key system state callouts through an automatic sepech recognition (aSR) engine. The set all to develop undrivative the system state callouts through an engineering-level view. A human subject experiment (n = 20) was conducted using the lunar landing simulation in an effort to validate the performance of the automatic speech recognition (ASR) engine, as well as to collect data to develop undrivasive workload estimation metrics that do not require a two-choice secondary task. The ASR analysis found that the system performate of the automatic speech recognition (ASR) engines as well as to collect data to develop undrivasive disentified several areas for further development to improve performance. We also developed a new real-time statistical approach to estimating flight performance by computing the percentage of pitch axis error in relation to pre-set bounds (comparison of actual vs. guidance recommended). The real-time performance metrics (flight, workload, and situation awareness) infrastructure was integrated with an extravchicular activity (EVA) simplified aid for EVA rescue (SAFER) jetpack. International Space Station (ISS) self-rescue simulation in our portable ground station. To is these simulations and the data thet we collect from the experiment tat will east of the portable ground station. To instess that can be presented to the pilot making operations more safe and efficient. 3. Inpact of Key Findings on hypotheses, technology requirements, objectives and s		
Rationale for HRP Directed Research:			
Research Impact/Earth Benefits:	This project aims to deliver a research capability for evaluating the applicability and robustness of metrics for quantifying operator performance in real-time. Although our case studies are specific to piloted spacecraft, the innovations and implementation approach are generally applicable to any vehicle that requires a human in the loop. This re-configurable, portable simulation and test station provides a capability for integrating and testing real-time performance metrics for assessing operator effectiveness continually throughout a trial, as opposed to a single mission effectiveness metric. In addition, temporal operator performance can then be assessed against system-level metrics such as fuel consumption vs. time. Regardless of the domain, the interaction between vehicle/operation performance, operator workload, and operator situation awareness is complicated. Prior approaches to quantify these metrics have relied on post-hoc analyses or measurement approaches that affect the parameter of interest. This project aims to reduce to practice in-situ real-time performance, workload, and situation awareness metrics that can be objectively and unobtrusively collected. We are doing this through a flexible and module architecture that allows researchers to develop their own modules (either vehicle/system models or metrics modules) that can be integrated with our simulation framework. Through rigorous testing and integration with operationally relevant tasks and scenarios, our goal is that this platform be adopted by the human-system integration and research community as the gold standard in crew performance benchmarking through open-source integration of algorithms for metrics development and validation.		
Task Progress	In project year 2, we furthered the development of the simulation capability through integration of additional vehicle models, and testing the calculation of pilot flight performance, workload, and situation awareness metrics in real-time, without adding additional hardware to the simulator or requiring interrupts to the flight task. The baseline piloted lunar landing simulation was modified to include real-time estimation and plotting of flight performance (entropy of the hand controller inputs, root mean square error of the difference between the actual and guidance recommended pitch attitude), response time to the two-choice secondary task for workload estimation, and an estimate of situation awareness via the accuracy of required key system state callouts through an automatic speech recognition engine. These metrics were calculated in real-time throughout the trial, and are displayed through an engineering-level view. A human subject experiment (n = 26) was conducted at UC Davis using the lunar landing simulation in an effort to validate the performance of the automatic speech recognition (ASR) engine, as well as to collect data to develop unobtrusive workload estimation metrics that do not require a two-choice secondary task. The ASR analysis found that the system performed well (the ASR algorithm correctly recognized 838 of the 1035 valid callouts, for a precision of 0.81), and also		

non rogi con	identified several areas for further development to improve performance. We also developed a new real-time statistical approach to estimating flight performance by computing the percentage of pitch axis error in relation to pre-set bounds (comparison of actual vs. guidance recommended). The real-time performance metrics (flight, workload, and situation awareness) infrastructure was integrated with an extravehicular activity (EVA) simplified aid for EVA rescue (SAFER) jetpack International Space Station (ISS) self-rescue simulation in our portable ground station for future experimentation. The baseline Orion/MPCV piloted simulation for docking with the ISS was also implemented and tested in the portable ground station. It is these simulations and the data that we collect from the experiment that will enable the development of robust metrics that can be presented to the pilot for making operations more safe and efficient. A copy of the portable ground control station was assembled. In year 3, we aim to complete the integration and test of the components, transfer the software to the new system, and develop the operational procedures in advance of delivering it to NSBRI Headquarters.
Bibliography Type:	Description: (Last Updated: 09/04/2023)
Abstracts for Journals and Proceedings	Duda KR. "Metrics and Methods for Real-Time Task Performance Assessment." Invited presentation to the University of Central Florida Workshop, Developing Best Practices for Measuring Safety and Efficiency in Human-Automation Systems, 58th Annual Meeting of the Human Factors and Ergonomics Society, Chicago, IL, October 27-31, 2014 58th Annual Meeting of the Human Factors and Ergonomics Society, Chicago, IL, October 27-31, 2014
Abstracts for Journals and Proceedings	 Duda KR, Prasov Z, Robinson SK, York SP, Handley PM, West JJ. "Methods and Metrics for Real-Time Task Performance Assessment in Crewed Spacecraft." 2015 National Defense Industrial Association (NDIA) Human Systems Conference, Alexandria, VA, February 10-11, 2015. 2015 National Defense Industrial Association (NDIA) Human Systems Conference, Alexandria, VA, February 10-11, 2015. 2015 National Defense Industrial Association (NDIA) Human Systems Conference, Alexandria, VA, February 10-11, 2015.
Abstracts for Journals and Proceedings	Duda KR, Robinson SK, Prasov Z, York SP, Handley PM, Karasinski J, Tinch JD, West JJ. "Metrics and Methods for Real-Time Task Performance Assessment." Abstract and poster. 2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015. 2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015. , Jan-2015
Abstracts for Journals and Proceedings	Duda KR, Robinson SK, Prasov Z, York SP, Handley PM, Karasinski J, Tinch JD, West JJ. "Metrics and Methods for Real-Time Task Performance Assessment." 86th Scientific Meeting of the Aerospace Medical Association, Lake Buena Vista, Florida, May 10-14, 2015. Aerospace Medicine and Human Performance. 2015 Mar;86(3):207-8. See <u>http://www.ingentaconnect.com/content/asma/amhp/2015/00000086/00000003/art00009</u> ;jsessionid=22uxwaslsgs2x.alice for searching table of contents; accessed 10/15/15. , Mar-2015
Awards	Duda KR. "Chair of the AIAA Life Sciences & Systems Technical Committee, May 2015." May-2015
Awards	Duda KR. "The Charles Stark Draper Laboratory, Inc. President's Outstanding Mentor Award, March 2015." Mar-2015
Dissertations and Theses	Handley PM. "A Pilot Model for the NASA Simplified Aid for EVA Rescue (SAFER) (Single-Axis Pitch Task)." M.S. Thesis, University of California Davis, June 2014. , Jun-2014
Papers from Meeting Proceedings	Duda KR, Prasov Z, York SP, West JJ, Robinson SK, Handley PM. "Development of an integrated simulation platform for real-time task performance assessment." 2015 IEEE Aerospace Conference, Big Sky, MT, March 7-14, 2015. In: 2015 IEEE Aerospace Conference Proceedings, 2015. <u>http://dx.doi.org/10.1109/AERO.2015.7118974</u> , Mar-2015