

Fiscal Year:	FY 2016	Task Last Updated:	FY 02/12/2016
PI Name:	Simon, Julianna Ph.D.		
Project Title:	Improving Kidney Stone Detection in Space Analogs		
Division Name:	Human Research		
Program/Discipline:	NSBRI		
Program/Discipline--Element/Subdiscipline:	NSBRI--Smart Medical Systems and Technology Team		
Joint Agency Name:	TechPort:	Yes	
Human Research Program Elements:	(1) ExMC: Exploration Medical Capabilities		
Human Research Program Risks:	None		
Space Biology Element:	None		
Space Biology Cross-Element Discipline:	None		
Space Biology Special Category:	None		
PI Email:	jcsimon@uw.edu ; jcsimon@psu.edu	Fax:	FY
PI Organization Type:	UNIVERSITY	Phone:	206-221-6584
Organization Name:	University of Washington		
PI Address 1:	Applied Physics Laboratory/Center for Industrial and Medical Ultrasound (APL/CIMU)		
PI Address 2:	1013 NE 40th St.		
PI Web Page:			
City:	Seattle	State:	WA
Zip Code:	98105	Congressional District:	7
Comments:			
Project Type:	GROUND	Solicitation / Funding Source:	2013 NSBRI-RFA-13-01 Postdoctoral Fellowships
Start Date:	01/01/2014	End Date:	12/31/2016
No. of Post Docs:	1	No. of PhD Degrees:	0
No. of PhD Candidates:	0	No. of Master' Degrees:	0
No. of Master's Candidates:	0	No. of Bachelor's Degrees:	0
No. of Bachelor's Candidates:	0	Monitoring Center:	NSBRI
Contact Monitor:	Contact Phone:		
Contact Email:			
Flight Program:			
Flight Assignment:	NOTE: End date changed to 12/31/2016 per NSBRI (Ed., 10/19/15)		
Key Personnel Changes/Previous PI:			
COI Name (Institution):	Bailey, Michael Ph.D. (MENTOR/ University of Washington)		
Grant/Contract No.:	NCC 9-58-PF03505		
Performance Goal No.:			
Performance Goal Text:	<p>POSTDOCTORAL FELLOWSHIP</p> <p>1. Project Aims</p> <p>The twinkling artifact (TA) is a rapid color-shift that selectively highlights hard objects such as kidney stones in color-Doppler ultrasound images; however, its inconsistent appearance has limited its clinical use. Our objective is to develop an ultrasound imaging protocol to enhance kidney stone detection in space, addressing ExMC Gap 4.13.</p> <p>AIM 1: Develop ultrasound imaging protocols to enhance kidney stone detection in space.</p> <p>AIM 2: Manipulate existing elastic wave and bubble dynamic models to aid in refining kidney stone detection protocols.</p>		

AIM 3: Determine how hypobaric and hyperbaric conditions alter the TA.

AIM 4: Determine how urine pH and stone type affect the TA.

AIM 5: Determine how exposure to gas concentrations unique to space travel vehicles alters the TA.

2. Key Findings

Exposing swine to 6 mm Hg carbon dioxide in air, the upper end of what is found on the International Space Station (ISS), significantly reduces or eliminates the TA. In ex vivo kidney stones of all major stone types, we found that increasing the acoustic energy delivered to the stone enhances the TA. A damped, shock wave lithotripter pulse can be used to expand bubbles on the stone surface and introduce transient twinkling. We proposed a modification to the current crevice bubble hypothesis of twinkling to include internal microcracks. A variety of bacterial species have been found on 6/6 fresh human kidney stones. Results on twinkling in these stones suggest a relationship between bacteria type and bubbles (or the TA). Published 2 papers in peer-reviewed scientific journals; 2 additional publications are currently in draft form. Presented at 5 scientific conferences, including an invited talk at an International Medical Physics conference. Represented the National Space Biomedical Research Institute (NSBRI) with an ultrasound and kidney stone demo at the 2015 SpaceCOM Expo. Mentored a summer high school student who finished with a demo at the Pacific Science Center. Mentored a high school student senior project. Organized a booth at the University of Washington Engineering Discovery Days. Was approved to begin the hyperbaric human subjects research study to verify bubbles exist on in situ human kidney stones. Grew calcium oxalate crystals in the lab with and without protein and found that they differed significantly from human kidney stones.

3. Impact

We have discovered that breathing CO₂ significantly diminishes or eliminates twinkling, which has important implications for detecting kidney stones in flight and suggests the need for an effective countermeasure. We also found that bacteria may form the bubbles that cause stones to twinkle. As bacteria behave differently in space, it is important to determine the relationship between bacteria and bubbles. While increasing the energy delivered to the stone has been found to enhance twinkling, there remains some stones that do not show the TA. We are focusing on new ways to enhance twinkling such as low frequency or dual frequency ultrasound. We also are investigating whether we can predict stone composition based on the reflected Doppler ultrasound signal. Finally, we propose a caveat to the crevice bubble hypothesis of twinkling to include the contribution of internal microcracks, increasing our understanding of the fundamental physics of the TA.

4. Proposed research

We will continue our efforts to recruit subjects for the human hyperbaric experiment. In swine, we will test the influence of CO₂ levels on kidney stone twinkling and whether oxygen is a potential countermeasure to restore twinkling. We plan to collect more fresh kidney stones for bacterial analysis, in addition to growing calcium oxalate crystals in the presence of bacteria in the lab to see if we can mimic human kidney stone formation. We will determine whether low frequency or dual frequency ultrasound can make all kidney stones twinkle. We will also determine whether the twinkling signal can be used to predict stone composition.

Task Description:

Rationale for HRP Directed Research:

Research Impact/Earth Benefits:

The risk of renal stone formation (ExMC 4.13) is considered a shall for all missions beyond the International Space Station. On Earth, currently 1 in 11 Americans have been diagnosed with kidney stones and the prevalence is increasing worldwide. In the US alone, more than three million diagnoses and treatments are made annually at a cost calculated to be over ten billion dollars. Specific in-flight conditions that contribute to an increased risk of renal stone formation include bone demineralization, dehydration, and stasis. US astronauts have reported more than 30 symptomatic stone events that have occurred pre- or post-flight; one notable in-flight stone incident has been described by the Russian space program, where a crewmate was found writhing in pain. While no US astronaut has experienced an in-flight kidney stone event, the incidence of kidney stones in space is expected to rise as missions become longer, astronauts are exposed to gravitational changes, and immediate transport to Earth becomes more problematic. Stone size is a significant predictor for the severity of a stone incident, as small stones may pass on their own causing relatively little pain. The Integrated Medical Model team defines two renal stone scenarios; the best case scenario (i.e., where stones pass safely and spontaneously) is predicted to occur in 68% of cases where stones are small (<5 mm diameter). However, as stones increase to 5-10 mm in diameter, stones are predicted to pass safely and spontaneously in less than 50% of cases. These data show the need for a diagnostic tool that allows for routine monitoring of people at risk for developing kidney stones both on Earth and in space. Currently, kidney stones are detected with x-ray or computed tomography (CT), both of which expose the patients to ionizing radiation. Our technology will make ultrasound a more robust tool to detect small kidney stones, thereby reducing patient exposure to ionizing radiation and reducing the cost associated with kidney stones. This technology would allow emergency rooms to diagnose kidney stones immediately, rather than sending the patient to radiology for a CT. In addition, more than 50% of stone-formers have a repeat stone incident within 5 years. Our technology would allow for more routine monitoring so steps could be taken to avoid emergency surgery. Should we find that ultrasound can be used to predict stone type, doctors can help direct treatment to those that are known to be successful for that stone type. Further, if bacteria are found to play a significant role in stone formation or detection, it may help in the development of medication to prevent stone formation in the first place! In space, ultrasound is one of the few imaging technologies that can be safely flown, and our improved kidney stone detection protocols will make ultrasound a more robust tool for early stone detection, which is critical for minimizing mission disruption and reducing the risk of an unpredictable and life-threatening renal stone incident.

Task Progress:	<p>AIM 1: Develop ultrasound imaging protocols to enhance kidney stone detection in space. Our experimental results in ex vivo human kidney stones showed that increasing the acoustic energy delivered to the kidney stone enhances the Doppler ultrasound twinkling artifact (TA). On a flexible ultrasound system, the TA can be enhanced by increasing the number of cycles and amplitude of the Doppler pulse. We also found that low amplitude lithotripter pulses can be used to induce strong, but transient, bubble growth and twinkling, even for non-twinkling stones.</p> <p>AIM 2: Manipulate existing elastic wave and bubble dynamic models to aid in refining kidney stone detection protocols. The linear elastic wave model was successfully coupled to the bubble dynamics model and then used to guide the development of stone imaging protocols.</p> <p>AIM 3: Determine how hypobaric and hyperbaric conditions alter the TA. Recruitment is currently ongoing for the human hyperbaric research study to verify bubbles are present on in situ stones. In the lab, twinkling on macroscopically rough-surfaced stones has always decreased as expected upon exposure to hyperbaric pressure and increased when exposed to hypobaric pressure. Macroscopically smooth-surfaced stones do not always respond as expected to hypo- or hyperbaric pressure, which has led to the addition of internal microcracks to the crevice bubble hypothesis of twinkling.</p> <p>AIM 4: Determine how urine pH and stone type affect the TA. Imaging ex vivo stones across physiologically-relevant pHs indicated that the TA is only minimally influenced by pH. Yet stone composition was found to significantly influence twinkling through surface roughness. We discovered large differences in composition and architecture in stones classified as the same type, which was reflected in the amplitude and stability of the twinkling signal. This prompted the creation of a calcium oxalate stone farm, where essentially an artificial kidney was fed solutions supersaturated with calcium and oxalate. The grown crystals were much more fragile and less dense than real stones, suggesting that urine salt supersaturation alone is insufficient to form kidney stones.</p> <p>AIM 5: Determine how exposure to gas concentrations unique to space travel vehicles alters the TA. When 4 swine were exposed to increased carbon dioxide at levels 20x that found on Earth (8000 ppm, 6 mm Hg), the TA was significantly diminished or eliminated in 10-15 minutes. Twinkling remained at the low to non-existent level until the pig was returned to oxygen, where twinkling reappeared within 15 minutes. The same pattern in the TA repeated when the pigs were again exposed to carbon dioxide and then oxygen. While the blood showed large changes in carbon dioxide and oxygen concentrations, only small changes were found in the urinalysis. Based on how quickly twinkling responded to the change in breathing gas, we expect that gas exchange is the mechanism by which twinkling is reduced.</p>
Bibliography Type:	Description: (Last Updated: 09/07/2020)
Abstracts for Journals and Proceedings	<p>Cunitz BW, Dunmire B, Haider Y, Sorensen M, May P, Maxwell A, Thiel J, Simon J, Sapozhnikov O, Bailey MR, Harper J. "Stone specific ultrasound imaging of human subjects." 2015 Northwest Urological Society Annual Meeting, Seattle, WA, December 4-5, 2015.</p> <p>2015 Northwest Urological Society Annual Meeting, Seattle, WA, December 4-5, 2015. , Dec-2015</p>
Abstracts for Journals and Proceedings	<p>Cunitz BW, Dunmire BL, Bailey MR, Haider Y, Maxwell AD, Simon JC, Thiel J, Sapozhnikov OA, Harper JD, Sorensen MD. "Kidney stone specific ultrasound imaging of human subjects." 170th Meeting of the Acoustical Society of America, Jacksonville, FL, November 2-6, 2015.</p> <p>Journal of the Acoustical Society of America. 2015 Sep;138(3):1747. http://dx.doi.org/10.1121/1.4933515 , Sep-2015</p>
Abstracts for Journals and Proceedings	<p>Cunitz BW, Dunmire BL, Haider Y, Sorensen MD, Thiel J, Simon JC, Maxwell AD, Sapozhnikov OA, Bailey MR, Harper JD. "Stone specific ultrasound imaging of human subjects." 33rd World Congress of Endourology and Shock Wave Lithotripsy, London, UK, October 1-4, 2015.</p> <p>33rd World Congress of Endourology and Shock Wave Lithotripsy, October 2015. Abstract Book p. A201-A202. , Oct-2015</p>
Abstracts for Journals and Proceedings	<p>Dunmire BL, Cunitz BW, Wang Y-N, Simon JC, Maxwell AD, Kreider W, Harper JD, Sorensen MD, Wessells H, Lingeman JE, Coburn M, Crum LA, Khokhlova VA, Sapozhnikov OA, Bailey MR. "Prevention of renal stone complications in space exploration." 2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015.</p> <p>2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015. Abstract #0418. , Jan-2015</p>
Abstracts for Journals and Proceedings	<p>Hackler AS, Deymier-Black A, Clark T, Lawley J, Simon J, Bokhari R, LePelusa M, McNeel R. "Innovation by a new NSBRI generation." 2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015.</p> <p>2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015. Abstract #0136. , Jan-2015</p>
Abstracts for Journals and Proceedings	<p>Simon JC, Cunitz BW, Sapozhnikov OA, Kreider W, Thiel J, Holm JR, Sorensen MD, Bailey MR. "The effect of ambient pressure on the color Doppler ultrasound twinkling artifact." 170th Meeting of the Acoustical Society of America, Jacksonville, FL, November 2-6, 2015.</p> <p>Journal of the Acoustical Society of America. 2015 Sep;138(3):1746. http://dx.doi.org/10.1121/1.4933510 , Sep-2015</p>
Abstracts for Journals and Proceedings	<p>Simon JC, Cunitz BW, Sapozhnikov OA, Maxwell AD, Wang Y-N, Kreider W, Dunmire B, Harper JD, Sorensen MD, Lee FC, Wessells H, Coburn M, Crum LA, Bailey MR. "Noninvasive ultrasound-based kidney stone detection and treatment." 86th Aerospace Med. Association Annual Meeting, Lake Buena Vista, FL, May 10-14, 2015.</p> <p>Aerospace Medicine and Human Performance. 2015 Mar;86(3):221. , Mar-2015</p>
Abstracts for Journals and Proceedings	<p>Simon JC, Dybing SN, Cunitz BW, Sapozhnikov OA, Bailey MR. "Twinkling in space: kidney stone detection with ultrasound." 2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015.</p> <p>2015 NASA Human Research Program Investigators' Workshop, Galveston, TX, January 13-15, 2015. Abstract #0130. , Jan-2015</p>

Abstracts for Journals and Proceedings	Simon JC, Haider YA, Cunitz BW, Sapozhnikov OA, Holm JR, Harper J, Sorensen M, Bailey MR. "Ex vivo [correction of in vitro] experiments on the etiology of the kidney stone twinkling artifact in ultrasound imaging." 130th Engineering and Urology Society Annual Meeting, New Orleans, LA, May 16, 2015. 130th Engineering and Urology Society Annual Meeting, New Orleans, LA, May 16, 2015. Abstract Book, p. 35. , May-2015
Abstracts for Journals and Proceedings	Simon JC, Sapozhnikov OA, Cunitz BW, Dunmire B, Harper J, Sorensen M, Holm JR, Bailey MR. "Investigation into the etiology of the color-Doppler ultrasound twinkling artifact for kidney stone detection." Omics International Conference on Medical Physics, Birmingham, UK, August 3-5, 2015. Omics International Conference on Medical Physics, Birmingham, UK, August 3-5, 2015. , Aug-2015
Abstracts for Journals and Proceedings	Simon JC, Wang Y-N, Cunitz BW, Sapozhnikov OA, Thiel J, Starr F, Bailey MR. "The effect of carbon dioxide on kidney stone detection with ultrasound." 2016 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 8-11, 2016. 2016 NASA Human Research Program Investigators' Workshop, Galveston, TX, February 8-11, 2016. , Feb-2016
Abstracts for Journals and Proceedings	Simon JC, Wang Y-N, Cunitz BW, Starr FL, Paun M, Liggitt DH, Evan AP, McAteer JA, Liu Z, Dunmire B, Bailey MR. "Determination of porcine renal injury thresholds for therapeutic ultrasound." Omics International Conference on Medical Physics, Birmingham, UK, August 3-5, 2015. Omics International Conference on Medical Physics, Birmingham, UK, August 3-5, 2015. , Aug-2015
Articles in Peer-reviewed Journals	Simon JC, Sapozhnikov OA, Khokhlova VA, Crum LA, Bailey MR. "Ultrasonic atomization of liquids in drop-chain acoustic fountains." J Fluid Mech. 2015 Mar;766:129-46. http://dx.doi.org/10.1017/jfm.2015.11 ; PubMed PMID: 25977591 ; PubMed Central PMCID: PMC4428615 , Mar-2015
Articles in Peer-reviewed Journals	Simon JC, Sapozhnikov OA, Wang Y-N, Khokhlova VA, Crum LA, Bailey MR. "Investigation into the mechanisms of tissue atomization by high-intensity focused ultrasound." Ultrasound Med Biol. 2015 May;41(5):1372-85. Epub 2015 Feb 3. http://dx.doi.org/10.1016/j.ultrasmedbio.2014.12.022 ; PubMed PMID: 25662182 ; PubMed Central PMCID: PMC4398613 , May-2015
Awards	Simon J. "Nominated for Who's Who in America, February 2015." Feb-2015
Awards	Simon J. "Runner Up in David Watson Postdoctoral Poster Competition at NASA Human Research Program Investigators' Workshop, January 2015." Jan-2015
Awards	Simon JC. "Editor of NSBRI Society of Fellows Winter newsletter, January 2015." Jan-2015
Significant Media Coverage	Reading K. "Outreach activity at local K-12 school featured in article entitled, 'The 2015 Science Fair: An Annual Event at ICOLPH,' University of Washington Applied Physics Laboratory monthly newsletter." University of Washington Applied Physics Laboratory monthly newsletter, p. 3, June 2015., Jun-2015