Fiscal Year:	FY 2023	Task Last Updated:	FY 02/15/2023	
PI Name:	Nelson, Gregory A. Ph.D.			
Project Title:	VNSCOR: Responses of the Nervous System to Chronic, Low Dose Charged Particle Irradiation			
Division Name:	Human Research			
Program/Discipline:				
Program/Discipline Element/Subdiscipline:				
Joint Agency Name:	Te	chPort:	No	
Human Research Program Elements:	(1) HFBP:Human Factors & Behaviora	l Performance (IRP Rev H)		
Human Research Program Risks:	 (1) BMed:Risk of Adverse Cognitive or Behavioral Conditions and Psychiatric Disorders (2) Immune:Risk of Adverse Health Event Due to Altered Immune Response (3) Sensorimotor:Risk of Altered Sensorimotor/Vestibular Function Impacting Critical Mission Tasks 			
Space Biology Element:	None			
Space Biology Cross-Element Discipline:	None			
Space Biology Special Category:	None			
PI Email:	grnelson@llu.edu	Fax:	FY 909-558-4035	
PI Organization Type:	UNIVERSITY	Phone:	909-558-8364	
Organization Name:	Loma Linda University			
PI Address 1:	Basic Sciences, Div. Radiation Research 11175 Campus Street			
PI Address 2:	Chan Shun Pavilion, Room A-1024			
PI Web Page:				
City:	Loma Linda	State:	CA	
Zip Code:	92350-1700	Congressional District:	31	
Comments:				
Project Type:	GROUND	Solicitation / Funding Source:	2016-2017 HERO NNJ16ZSA001N-SRHHC. Appendix E: Space Radiobiology and Human Health Countermeasures Topics	
Start Date:	04/15/2018	End Date:	12/31/2024	
No. of Post Docs:	2	No. of PhD Degrees:		
No. of PhD Candidates:	2	No. of Master' Degrees:		
No. of Master's Candidates:	Ν	to. of Bachelor's Degrees:	1	
No. of Bachelor's Candidates:		Monitoring Center:	NASA JSC	
Contact Monitor:	Whitmire, Alexandra	Contact Phone:		
Contact Email:	alexandra.m.whitmire@nasa.gov			
Flight Program:				
Flight Assignment:	NOTE: End date changed to 12/31/2024 per JSC Grants Office (Ed., 4/26/23) NOTE: End date changed to 08/31/2025 per L. Juliette/JSC (Ed., 5/7/22)			
Key Personnel Changes/Previous PI:	Subcontract by Susanna Rosi, Ph.D. at the University of California San Francisco has been completed. Per the PI, the setup of behavioral experiments with Dr. Richard Hartman was completed by end of Year 2; after Year 2, Dr. Hartman left the project (Ed., 5/21/23).			
COI Name (Institution):	Mao, Xiao Wen M.D. (Loma Linda University) Rosi, Susanna Ph.D. (University of California San Francisco)			
Grant/Contract No.:	80NSSC18K0785			
Performance Goal No.:				

	 structure of the tissue using state of the art biochemical, histochemical, and microscopy methods. This allows us to identify the underlying physiological changes most sensitive to dose rate and radiation quality and how they combine to produce behaviors that are adaptive or maladaptive. The Covid-19 pandemic disrupted the 2020 BNL experimental campaign resulting in a 1-year delay in implementing GCR exposures. Therefore, during this period, exploratory studies of chronic mild stress were initiated to model multiple spaceflight stressors (e.g., altered gravity, isolation and confinement, sleep disruption). Findings from this pilot will enable future experiments using proton exposures in combination with chronic stress to test interactions of multiple stressors with radiation. BNL operations were restored allowing us to expose male animals to GCRsim as planned in the 2021 campaign and most recently females in the 2022 campaign. GCRsim behavioral data on males and females has now been analyzed and histological and biochemical analyses are in progress. A dose response experiment is currently scheduled for April, 2023 during the NSRL23A/B campaign for which behavioral and other analyses will continue into 2024. Together the data generated by the project will enhance NASA's ability to translate animal assessments of CNS (central nervous system) structure and function to humans, and to update risk estimates based on single radiation species, high dose rate irradiation protocols, to higher fidelity space-like exposures of charged particle mixtures delivered at dose rates approaching those observed in space.
	using c-fos imaging, quantify changes in selected gene expression patterns, and quantify selected biomarkers and the
	For this project, mice are irradiated with a broad energy spectrum of protons in acute and protracted (12 fractions over 4 weeks) exposures at a dose of 0.5 Gy and sham controls; acute and protracted (24 fractions over 4 weeks) exposures to 0.5 Gy of charged particles (33 ion GCR simulation, (GCRsim)); and protracted (24 fractions over 4 weeks) exposures to 2.0 Gy of 137-Cs gamma rays. An additional set of acute exposures to GCRsim is planned for 2023 to determine the form of the dose-response with acute exposures to 0, 0.15, 0.25, 0.5 and 0.75 Gy. All work uses wild type mice and is performed under Institutional Animal Care and Use Committee (IACUC) approved protocols in AAALAC-certified facilities at Loma Linda University (LLU), the University of California (UCSF), and Brookhaven National Laboratory (BNL). For all aims the species is Mus musculus, strain C57Bl/6J. Ages are 5 - 6 months at acquisition and the beginning of irradiation procedures. We test both male and female animals as their responses are not identical, and the astronaut population is of mixed gender. Scheduled sacrifices and tissue harvests follow behavioral testing. For each of the exposure regimens we conduct a battery of behavior tests, explore task-driven neuronal pathway activation patterns
Task Description:	Therefore, to better simulate the space environment, we endeavored to expose adult mice to either protons or mixtures of charged particles using the NASA/ Brookhaven National Laboratory (BNL)-developed 33-ion galactic cosmic ray simulation protocol (GCRsim). The radiation would be delivered in either a single exposure or over 4 weeks in 24 short exposures (fractions) compatible with particle accelerator operations. These results would be compared to establish the Dose Rate Effectiveness Factors (DREFs) which are needed for risk estimation for astronaut health. We predicted that the high numbers (fluence) of protons will result in multiple traversals of cells within short times that may elicit interacting biological responses, whereas the lower fluence of higher charged ions will result in rare independent events. DREFs > 1 are predicted for protons and DREFs ~1 are predicted for high Z particles. We also compare the "chronic" or fractionated exposures of charged particle mixtures to gamma rays to determine whether they have equivalent dose effects or are more effective. The relative biological effectiveness factor (RBEs) is derived from this comparison. These RBEs are utilized in predicting densely ionizing radiation effects in humans for whom only gamma ray and X-ray data are available with the assumption that the ratios obtained in animal models are realistic surrogates for humans.
	Evidence has accumulated from animal studies that the central nervous system (CNS) undergoes deleterious changes after exposure to charged particle radiation such as protons and high atomic number atomic nuclei that are found in space as galactic cosmic rays and solar particle events. Observed changes include inflammation, oxidative stress, loss of neuron (dendrite) branches and connections (synapses), altered signaling molecules, altered electrical properties, loss of blood vessels, and impaired behavioral performance. If humans respond to charged particles in the same way as animals, then it is possible that deleterious changes may be sufficient to cause cognitive and other behavioral impairments that could compromise spaceflight missions and astronaut health. The current evidence is based primarily on short exposures to single radiation types. However, space radiation is a complex mixture of these particles and exposures accumulate gradually over the course of missions. It is well established in radiation biology that reduction of the dose rate can have a profound effect on the outcome.
	This project is a combined experimental campaign with "Mechanisms of Radiation-Induced Neurobehavioral Deficits" (PI: Catherine Davis) to quantify responses for an interrelated set of central nervous system (CNS) outcome measures in mice to acute and protracted exposures to protons, simulated galactic cosmic rays and gamma rays. An initial definition phase review resulted in modifications to the original experimental plan to take advantage of new irradiation capabilities and to coordinate approaches with the Davis project by incorporating both projects into a virtual NSCOR or VNSCOR program project. The start date for the project is April 15, 2018, and the period of performance is currently extended to November 2, 2023 under supplement P00017 and an additional extension into 2024 will be required for experimental procedures and data analysis for animals irradiated during the 2023 experimental campaign at Brookhaven National Laboratory. The statement of work has also been adjusted from the original grant submission in coordination with NASA science teams.

Research Impact/Earth Benefits:

The primary research impact to NASA is in estimation of potential adverse cognitive and behavioral effects of exposures to space radiation on long (e.g., 3-year Mars missions) deep space missions where exposures are of a chronic nature and are comprised of complex mixtures of charged particles dominated by protons. Such adverse effects could affect in-mission performance as well as post mission health of crew members. The experimental plan uses radiation fields and exposure conditions scaled to the life span of the experimental animal model. On Earth, the principal benefits will be for estimation of health risks to humans from charged particles in the environment (e.g., Radon alpha particles) and potential side effects of particle-based radiotherapy (e.g., proton and carbon beams) which requires pre-clinical animal studies. The current task will provide insight into adverse effects on normal brain tissue from proton exposures similar to those expected for normal tissues outside tumor treatment volumes in head & neck and brain tumor treatment scenarios. Low dose rate exposures to protons as well as 33-ion GCRsim radiation fields with substantial proton and helium components will inform risk estimates for the general population due to Radon exposures and for first responders to radiological

accidents (e.g., Fukushima, Chernobyl).

Protons

Two proton irradiation campaigns have been conducted and provided biological replicates for measurements. Subsequent experiments examine simulated galactic cosmic radiation (GCR) spectra for which protons are the main component. A battery of 15 behavioral tests assesses cognitive, affective, and sensorimotor performance in both male and female mice at 1-2, 3-5, & 9 months post irradiation/IR (referred to as "1 month", "3 month," and "9 month" time points) 9-month measurements were not originally planned but resulted from Covid-19 related restrictions on animal care facility access and have been continued. Briefly, in cases where 50 cGy proton exposure resulted in altered behavioral parameters, the percent change from sham values ranged up to 74% and the magnitude of change from fractionated exposures often exceeded that for acute exposures. This included: Y-maze, elevated plus maze, light-dark box, open field exploration, novel object and novel place recognition, sociability and social recognition, modified balance beam, hindlimb unloading, and forced swim tests. Fractionated exposures were notably more effective for step-through passive avoidance. Other behaviors were not significantly affected by irradiation. To assess neuronal network function, expression of the immediate early gene c-fos driven by fear memory (passive avoidance) was measured in selected brain regions of male mice at 3 months post IR. Passive avoidance testing elicited strong gene expression in multiple brain regions compared to home cage controls. Prior radiation exposure resulted in altered c-fos expression reflecting changes in behaviorally driven network activity.

To determine which molecular markers and signaling pathways underlie outcomes of the treatment conditions we used NanoString® technology to profile mRNA expression at 3 months post irradiation of male mice in orbitofrontal cortex, hippocampus, and cerebellum. A set of 760 genes from the nCounter® Mouse Neuropathology panel for 23 fundamental pathways were examined and were characterized according to annotations for: structural integrity, metabolism, neuroinflammation, neuron-glia interaction, plasticity and aging, and neurotransmission. Expression patterns varied with radiation dose rate and brain region. In hippocampus, pathway activation was generally similar for fractionated vs acute expression, while in frontal cortex fractionated exposure differed substantially from either sham or acute exposures. When the data was analyzed for the top genes based on absolute fold expression value, the 8 highest differentially expressed genes were associated with oxidative stress, protein homeostasis, and inflammation. They included: Arc and Fos which are immediate early genes expressed after synaptic activity and oxidative stress, Cp (Ceruloplasmin) which may have antioxidant activity in astrocytes, regulate monoamine pathways and serve as a copper transporter, Des (Desmin) which is associated with astrocyte activation and is expressed along with GFAP, Nqo1 (NADPH dehydrogenase quinone) which is associated with adaptation to stress and may regulate Poly (ADP-ribose) formation (DNA repair, apoptosis) and proteasome activity on denatured proteins, Pla2g4 (Phospholipase A2) which regulates signaling in neuroinflammation and oxidative stress, Psmb9 (Proteosome subunit 9) which regulates protein degradation, and Shh (Sonic Hedgehog) which is a CNS morphogen that also regulates autophagy and shows protective activity for neurogenesis and oxidative stress.

Chronic Mild Stress

During the Covid-19 driven delay in the use of (Brookhaven National Laboratory) BNL irradiation facilities we conducted experiments using the chronic mild stress (CMS) model to simulate combined stressors experienced during spaceflight. This well-vetted model delivered mild stress from disruption of cage environment, lighting, social interactions, predator cues, etc., over a 4-week period as a surrogate for the multisensory set of non-radiation space flight stressors. The CMS exposures were conducted from 1/4/2021 to 2/1/2021 and tests were performed at 1-2 or 4-5 weeks after the exposure. We measured selected behavioral outcome measures, as described above, along with stress hormone, corticosterone, and a suite of cytokine. Several anxiety-related outcome measures showed strong increases at 1 and 4 weeks post CMS including light-dark, open field, and elevated plus maze tests while cognitive measures were less responsive. Corticosterone levels were elevated as expected. In the future the CMS regimen will be combined with a 0.5 Gy proton exposure to characterize interactions of the combined stresses.

GCRsim

236 male mice were exposed to 50 cGy GCRsim (sham, acute, and fractionated regimens) and 2 Gy fractionated gamma rays during the NASA Space Radiation Laboratory (NSRL) 2021A campaign in April/May 2021 by special arrangement between NASA and BNL. Behavioral batteries described above for protons were conducted at 1-, 3- and 9-month time points with final data acquisition in March 2022. The 3-month c-fos expression histological samples have been archived and are undergoing counting. Brain tissue samples from 7 regions have been frozen for biochemical analysis and hemibrains fixed for histology. 176 female and 60 male mice were exposed to GCRsim and gamma rays from 4/11/22 to 5/6/22 during the NSRL22A campaign and shipped back to Loma Linda University where they were quarantined for 7 weeks after which behavioral testing began. Behavioral testing was completed in November 2022 and tissues were archived for histology and biochemistry. Fixed samples have been processed for c-fos and neuroinflammatory marker immunohistochemistry and imaging and quantification are in progress.

GCRsim exposure elicited a number of behavioral changes in male mice at all three time points, which also allowed us to follow the time course for certain outcome measures. Preliminary results indicate that GCRsim exposure elicited changes in many outcome measures, and gamma rays were also effective, which enabled estimation of (relative biological effectiveness) RBE values. GCRsim exposures did not significantly affect distance or time-in-location measures in the open field, while gamma rays increased locomotion and reduced freezing. Light-dark box tests revealed increased locomotion and reduced anxiety (increased time in light zone and transitions), which was time course dependent. Balance beam revealed elevated locomotion and reduced anxiety and hindlimb unloading depression-like behavior (learned helplessness) revealed enhancement of "depression" at 1 month which resolved at 3 and 9 months. Working memory (Y maze spontaneous alternation) showed enhancement at late times with fractionated GCRsim and gamma rays. Fear memory (passive avoidance) was insensitive to GCRsim. For females subjected to the same behavioral battery, there was generally a smaller effect than for males. Open field distance and center time measures were reduced in fractionated exposure animals but time immobile was increased. Light-dark box and novel object recognition memory were not significantly affected. Elevated plus maze measures indicated reduced anxiety in males but not females while females were found to move 25% more than males. Y maze working memory and passive avoidance fear memory measures were not significantly altered, nor was depression-like behavior in the hindlimb unloading test.

Histological samples are being photographed for quantitation and mRNA samples are being prepared for transcriptomics analysis using the NanoString® technology reported for protons.

DR Cha for mot	aimals have been ordered for a GCRsim acute dose-response experiment scheduled for late April at the BNL NSRL. REF Estimates aracterization of dose rate effects by a simple parameter like Dose Rate Effectiveness Factor (DREF) is problematic central nervous system (CNS) outcome measures. Behavioral outcome measures reflect complex interactions of tributions of entering constitution constitutions of the parameter scheme constitution of the behavioral
Cha for mot	aracterization of dose rate effects by a simple parameter like Dose Rate Effectiveness Factor (DREF) is problematic central nervous system (CNS) outcome measures. Behavioral outcome measures reflect complex interactions of
for a mot	central nervous system (CNS) outcome measures. Behavioral outcome measures reflect complex interactions of
posi mea stan (uni prot bott Cor fror valu	bivation, sensory and motor function, emotional status, etc., and outcome parameter values reflect the balance tween conflicting behavioral drives such as anxiety and curiosity. Thus, deviations from the control values can be sitive or negative – reflecting an altered but stable new state not necessarily interpretable as detrimental – and the raw easures come in a variety of units such as distance, time, force, etc., making them hard to pool. We have turned to ndardized effect size measures such as Cohen's d, Hedge's g, and z-scores to transform the data to a single metric nits of standard deviation from control means) which has enabled us to develop distributions of DREF values for boton and GCRsim exposures. Preliminary DREFs for all pooled behavioral measures were approximately 1.65 for th protons and GCRsim, similar to the estimate of 2 used by radiation risk advisory bodies such as the International mmission on Radiological Protection (ICRP). Male and female values were similar. RBE estimates were also derived m effect size measures with linear interpolation of dose responses and yielded values of approximately 3.9. These lues were limited to behavioral data sets which were normally distributed, and non-parametric methods will be plied to additional data sets.
Bibliography Type: Des	escription: (Last Updated: 03/13/2024)
Abstracts for Journals and Prot Proceedings Feb	elson G, Jones T, Stanbouly S, Tolan B, Wroe A, Rosi S, Grue K, Hartman R. "Effects of Acute versus Fractionated oton Exposures on Mouse Central Nervous System." NASA Human Research Program Investigators Workshop, bruary 1-4, 2021. ster Abstracts. NASA Human Research Program Investigators Workshop, February 1-4, 2021. , Feb-2021
Abstracts for Journals and observedings	elson G, Jones T, Stanbouly S, Rosi S, Grue K, Hartman R. "Dose rate effects on CNS responses to protons: Initial servations." Radiation Research Society, October 6, 2021. ostracts. Radiation Research Society, October 6, 2021. , Oct-2021
Proceedings nerv	elson G, Jones, T, Stanbouly, S, Hartman, R, Grue K, Rosi S. "Dose rate effects of space radiation on the mouse rvous system." 2022 NASA Human Research Program Investigators' Workshop, Virtual, February 8, 2022. stacts. 2022 NASA Human Research Program Investigators' Workshop, Virtual, February 8, 2022. , Feb-2022
Adstracts for Journals and Res	elson G. "Responses of the central nervous system to simulated cosmic rays: Unique or not?" 2022 NASA Human search Program Investigators' Workshop, Virtual, February 9, 2022. ostracts. 2022 NASA Human Research Program Investigators' Workshop, Virtual, February 9, 2022. , Feb-2022
Abstracts for Journals and CNS	elson G, Jones T, Stanbouly S, Grue K, Rosi S. "Charged particle radiation dose rate effectiveness factors for mouse JS." Radiation Research Society. Kona, Hawaii, October 16-19, 2022. ster. Radiation Research Society. Kona, Hawaii, October 16-19, 2022. , Oct-2022
Abstracts for Journals and Inve	elson GA, Jones T, Stanbouly S. "Dose rate effects of space radiation on the mouse nervous system." 2023 HRP vestigators Workshop, Galveston, Texas, February 7-9, 2023. Ostracts. 2023 HRP Investigators Workshop, Galveston, Texas, February 7-9, 2023. , Feb-2023
Articles in Peer-reviewed Journals and	ao XW, Stanbouly S, Jones T, Nelson G. "Evaluating ocular response in the retina and optic nerve head after single d fractionated high-energy protons." Life (Basel). 2021 Aug 19;11(8):849. <u>https://doi.org/10.3390/life11080849</u> ; <u>HID: 34440593</u> ; PubMed Central <u>PMCID: PMC8400407</u> , Aug-2021
Articles in Peer-reviewed Journals Fen biol	ukowski K, Grue K, Becker M, Elizarraras E, Frias ES, Halvorsen A, Koenig-Zanoff M, Frattini V, Nimmagadda H, ng X, Jones T, Nelson G, Ferguson AR, Rosi S. "The impact of deep space radiation on cognitive performance: From ological sex to biomarkers to countermeasures." Sci Adv. 2021 Oct 15;7(42):eabg6702. Epub 2021 Oct 15. ps://doi.org/10.1126/sciadv.abg6702 ; PMID: 34652936; PMCID: PMC8519563 , Oct-2021
Articles in Peer-reviewed Journals con	Iller KB, Mi KL, Nelson GA, Norman RB, Patel ZS, Huff JL. "Ionizing radiation, cerebrovascular disease, and nsequent dementia: A review and proposed framework relevant to space radiation exposure." Front Physiol. 2022 Oct ;13:1008640. <u>https://doi.org/10.3389/fphys.2022.1008640</u> ; <u>PMID: 36388106</u> ; <u>PMCID: PMC9640983</u> , Oct-2022